

- Masi, A., Trentin, A.R., **Arrigoni, G.** Leaf apoplastic proteome composition in UV-B treated *Arabidopsis thaliana* mutants impaired in extracellular glutathione degradation. (2016) *Data in Brief*, 6, pp. 368-377.
- Belluzzi, E., Gonnelli, A., Cirnaru, M.-D., Marte, A., Plotegher, N., Russo, I., Civiero, L., Cogo, S., Carrion, M.P., Franchin, C., **Arrigoni, G.**, Beltramini, M., Bubacco, L., Onofri, F., Piccoli, G., Greggio, E. LRRK2 phosphorylates pre-synaptic N-ethylmaleimide sensitive fusion (NSF) protein enhancing its ATPase activity and SNARE complex disassembling rate. (2016) *Molecular Neurodegeneration*, 11 (1), art. no. 1.
- De Rosa, E., Checchetto, V., Franchin, C., Bergantino, E., Berto, P., Szabò, I., Giacometti, G.M., **Arrigoni, G.**, Costantini, P. [NiFe]-hydrogenase is essential for cyanobacterium *Synechocystis* sp. PCC 6803 aerobic growth in the dark (2015) *Scientific Reports*, 5, art. no. 12424
- Lorenzini, M., Millionsi, R., Franchin, C., Zapparoli, G., **Arrigoni, G.**, Simonato, B. Identification of potential protein markers of noble rot infected grapes. (2015) *Food Chemistry*, 179, pp. 170-174.
- Borgo, C., Franchin, C., Salizzato, V., Cesaro, L., **Arrigoni, G.**, Matricardi, L., Pinna, L.A., Donella-Deana, A. Protein kinase CK2 potentiates translation efficiency by phosphorylating eIF3j at Ser127. (2015) *Biochimica et Biophysica Acta - Molecular Cell Research*, 1853 (7), pp. 1693-1701.
- Franchin, C., Cesaro, L., Salvi, M., Millionsi, R., Iori, E., Cifani, P., James, P., **Arrigoni, G.**, Pinna, L. Quantitative analysis of a phosphoproteome readily altered by the protein kinase CK2 inhibitor quinalizarin in HEK-293T cells. (2015) *Biochimica et Biophysica Acta - Proteins and Proteomics*, 1854 (6), pp. 609-623.
- Cappellesso, R., Millionsi, R., **Arrigoni, G.**, Simonato, F., Carocchia, B., Iori, E., Guzzardo, V., Ventura, L., Tessari, P., Fassina, A. Lumican is overexpressed in lung adenocarcinoma pleural effusions. (2015) *PLoS ONE*, 10 (5), art. no. e0126458.
- Ura, B., Scrimin, F., Zanconati, F., **Arrigoni, G.**, Monasta, L., Romano, A., Banco, R., Zweyer, M., Milani, D., Ricci, G. Two-dimensional gel electrophoresis analysis of the leiomyoma interstitial fluid reveals altered protein expression with a possible involvement in pathogenesis. (2015) *Oncology Reports*, 33 (5), pp. 2219-2226.
- Trentin, A.R., Pivato, M., Mehdi, S.M.M., Barnabas, L.E., Giaretta, S., Fabrega-Prats, M., Prasad, D., **Arrigoni, G.**, Mas, A.O. Proteome readjustments in the apoplastic space of *Arabidopsis thaliana* ggt1 mutant leaves exposed to UV-B radiation. (2015) *Frontiers in Plant Science*, 6 (MAR), art. no. 128, 12 p.
- Franchin, C., Salvi, M., **Arrigoni, G.**, Pinna, L.A. Proteomics perturbations promoted by the protein kinase CK2 inhibitor quinalizarin. (2015) *Biochimica et Biophysica Acta - Proteins and Proteomics*, 1854 (10), pp. 1676-1686.
- Gerotto, C., Franchin, C., **Arrigoni, G.**, Morosinotto, T. In vivo identification of photosystem II light harvesting complexes interacting with PHOTOSYSTEM II SUBUNIT S. (2015) *Plant Physiology*, 168 (4), pp. 1747-1772.

- Stella, R., Biancotto, G., **Arrigoni, G.**, Barrucci, F., Angeletti, R., James, P. Proteomics for the detection of indirect markers of steroids treatment in bovine muscle (2015) *Proteomics*, 15 (13), pp. 2332-2341.
- Tibaldi, E., **Arrigoni, G.**, Cozza, G., Cesaro, L., Pinna, L.A. "Genuine" casein kinase: The false sister of CK2 that phosphorylates secreted proteins at S-x-E/pS motifs. (2015) *Protein Kinase CK2 Cellular Function in Normal and Disease States*, pp. 227-237.
- Franchin, C., Cesaro, L., Pinna, L.A., **Arrigoni, G.**, Salvi, M. Identification of the PLK2-dependent phosphopeptidome by quantitative proteomics. (2014) *PLoS ONE*, 9 (10), art. no. A1829.
- Franchin, C., Pivato, M., Rattazzi, M., **Arrigoni, G.**, Millionsi, R. OFFGEL fractionation of peptides: Where really is your sample? (2014) *Journal of Chromatography A*, 1355, pp. 278-283.
- Stella, R., **Arrigoni, G.**, Biancotto, G., Krogh, M., Vascellari, M., Lega, F., Pozza, G., Angeletti, R., Andrighetto, I., James, P. Confirmation of protein biomarkers of corticosteroids treatment in veal calves sampled under field conditions. (2014) *Journal of Proteome Research*, 13 (4), pp. 1794-1799.
- Antonello, S., **Arrigoni, G.**, Dainese, T., De Nardi, M., Parisio, G., Perotti, L., René, A., Venzo, A., Maran, F. Electron transfer through 3D monolayers on Au₂₅ clusters. (2014) *ACS Nano*, 8 (3), pp. 2788-2795.
- Fadini, G.P., Albiero, M., Millionsi, R., Poncina, N., Rigato, M., Scotton, R., Boscari, F., Brocco, E., **Arrigoni, G.**, Villano, G., Turato, C., Biasiolo, A., Pontisso, P., Avogaro, A. The molecular signature of impaired diabetic wound healing identifies serpinB3 as a healing biomarker. (2014) *Diabetologia*, 57 (9), pp. 1947-1956.
- Reyniers, L., Del Giudice, M.G., Civiero, L., Belluzzi, E., Lobbestael, E., Beilina, A., **Arrigoni, G.**, Derua, R., Waelkens, E., Li, Y., Crosio, C., Iaccarino, C., Cookson, M.R., Baekelandt, V., Greggio, E., Taymarls, J.-M. Differential protein protein interactions of LRRK1 and LRRK2 indicate roles in distinct cellular signaling pathways. (2014) *Journal of Neurochemistry*, 131 (2), pp. 239-250.
- Costa, R., **Arrigoni, G.**, Cozza, G., Lolli, G., Battistutta, R., Izpisua Belmonte, J.C., Pinna, L.A., Sarno, S. The lysine-specific demethylase 1 is a novel substrate of protein kinase CK2. (2014) *Biochimica et Biophysica Acta - Proteins and Proteomics*, 1844 (4), pp. 722-729.
- Menegazzo, L., Albiero, M., Millionsi, R., Tolin, S., **Arrigoni, G.**, Poncina, N., Tessari, P., Avogaro, A., Fadini, G.P. Circulating myeloid calcifying cells have antiangiogenic activity via thrombospondin-1 overexpression. (2013) *FASEB Journal*, 27 (11), pp. 4355-4365.
- **Arrigoni, G.**, Tolin, S., Moscatiello, R., Masi, A., Navazio, L., Squartini, A. Calcium-dependent regulation of genes for plant nodulation in *Rhizobium leguminosarum* detected by iTRAQ quantitative proteomic analysis. (2013) *Journal of Proteome Research*, 12 (11), pp. 5323-5330.

- Venerando, A., Franchin, C., Cant, N., Cozza, G., Pagano, M.A., Tosoni, K., Al-Zahrani, A., **Arrigoni, G.**, Ford, R.C., Mehta, A., Pinna, L.A. Detection of Phospho-Sites Generated by Protein Kinase CK2 in CFTR: Mechanistic Aspects of Thr1471 Phosphorylation. (2013) PLoS ONE, 8 (9), art. no. e74232.
- Millionsi, R., Franchin, C., Pivato, M., Tessari, P., **Arrigoni, G.** Sample loading influences studies comparing isoelectric focusing vs. strong cation exchange peptide fractionation. (2013) Journal of Chromatography A, 1307, pp. 207-208.
- Albiero, M., Rattazzi, M., Menegazzo, L., Boscaro, E., Cappellari, R., Pagnin, E., Bertacco, E., Poncina, N., Dyar, K., Ciciliot, S., Iwabuchi, K., Millionsi, R., **Arrigoni, G.**, Kraenkel, N., Landmesser, U., Agostini, C., Avogaro, A., Fadini, G.P. Myeloid calcifying cells promote atherosclerotic calcification via paracrine activity and allograft inflammatory factor-1 overexpression. (2013) Basic Research in Cardiology, 108 (4), art. no. 368
- Millionsi, R., Franchin, C., Tessari, P., Polati, R., Cecconi, D., **Arrigoni, G.** Pros and cons of peptide isoelectric focusing in shotgun proteomics (2013) Journal of Chromatography A, 1293, pp. 1-9.
- Tolin, S., **Arrigoni, G.**, Moscatiello, R., Masi, A., Navazio, L., Sablok, G., Squartini, A. Quantitative analysis of the naringenin-inducible proteome in *Rhizobium leguminosarum* by isobaric tagging and mass spectrometry. (2013) Proteomics, 13 (12-13), pp. 1961-1972.
- Tolin, S., **Arrigoni, G.**, Trentin, A.R., Veljovic-Jovanovic, S., Pivato, M., Zechman, B., Masi, A. Biochemical and quantitative proteomics investigations in *Arabidopsis ggt1* mutant leaves reveal a role for the gamma-glutamyl cycle in plant's adaptation to environment.(2013) Proteomics, 13 (12-13), pp. 2031-2045.
- Millionsi, R., Bertacco, E., Franchin, C., **Arrigoni, G.**, Rattazzi, M. Proteomic analysis of interstitial aortic valve cells acquiring a pro-Calcific profile. (2013) Methods in Molecular Biology, 1005, pp. 95-107.
- Tolin, S., Pasini, G., Simonato, B., Mainente, F., **Arrigoni, G.** Analysis of commercial wines by LC-MS/MS reveals the presence of residual milk and egg white allergens. (2012) Food Control, 28 (2), pp. 321-326
- Salvi, M., Trashi, E., Cozza, G., Franchin, C., **Arrigoni, G.**, Pinna, L.A. Investigation on PLK2 and PLK3 substrate recognition. (2012) Biochimica et Biophysica Acta - Proteins and Proteomics, 1824 (12), pp. 1366-1373.
- Dosselli, R., Millionsi, R., Puricelli, L., Tessari, P., **Arrigoni, G.**, Franchin, C., Segalla, A., Teardo, E., Reddi, E. Molecular targets of antimicrobial photodynamic therapy identified by a proteomic approach. (2012) Journal of Proteomics, 77, pp. 329-343.
- Millionsi, R., Tolin, S., Fadini, G.P., Falda, M., Van Breukelen, B., Tessari, P., **Arrigoni, G.** High confidence and sensitivity four-dimensional fractionation for human plasma proteome analysis. (2012) Amino Acids, 43 (5), pp. 2199-2202

- Tolin, S., Pasini, G., Curioni, A., **Arrigoni, G.**, Masi, A., Mainente, F., Simonato, B. Mass spectrometry detection of egg proteins in red wines treated with egg white. (2012) *Food Control*, 23 (1), pp. 87-94.
- Ballardini, R., Benevento, M., **Arrigoni, G.**, Pattini, L., Roda, A. MassUntangler: A novel alignment tool for label-free liquid chromatography-mass spectrometry proteomic data. (2011) *Journal of Chromatography A*, 1218 (49), pp. 8859-8868.
- Millionsi, R., Tolin, S., Puricelli, L., Sbrignadello, S., Fadini, G.P., Tessari, P., **Arrigoni, G.** High abundance proteins depletion vs low abundance proteins enrichment: Comparison of methods to reduce the plasma proteome complexity. (2011) *PLoS ONE*, 6 (5), art. no. e19603.
- Millionsi, R., Iori, E., Lenzini, L., Puricelli, L., Carocchia, B., **Arrigoni, G.**, Rossi, G.P., Tessari, P. Caldesmon over-expression in type 1 diabetic nephropathy. (2011) *Journal of Diabetes and its Complications*, 25 (2), pp. 114-121.
- Bertacco, E., Millionsi, R., **Arrigoni, G.**, Faggini, E., Iop, L., Puato, M., Pinna, L.A., Tessari, P., Pauletto, P., Rattazzi, M. Proteomic analysis of clonal interstitial aortic valve cells acquiring a pro-calcific profile. (2010) *Journal of Proteome Research*, 9 (11), pp. 5913-5921.
- Bidoia, C., Mazzorana, M., Pagano, M.A., **Arrigoni, G.**, Meggio, F., Pinna, L.A., Bertazzoni, U. The pleiotropic protein kinase CK2 phosphorylates HTLV-1 Tax protein in vitro, targeting its PDZ-binding motif. (2010) *Virus Genes*, 41 (2), pp. 149-157.
- Tibaldi, E., **Arrigoni, G.**, Martinez, H.M., Inagaki, K., Shimasaki, S., Pinna, L.A. Golgi apparatus casein kinase phosphorylates bioactive Ser-6 of bone morphogenetic protein 15 and growth and differentiation factor 9. (2010) *FEBS Letters*, 584 (4), pp. 801-805.
- Millionsi, R., Puricelli, L., Iori, E., **Arrigoni, G.**, Tessari, P. The effects of rosiglitazone and high glucose on protein expression in endothelial cells. (2010) *Journal of Proteome Research*, 9 (1), pp. 578-584.
- Bendz, M., Möller, M.C., **Arrigoni, G.**, Wähländer, Å., Stella, R., Cappadona, S., Levander, F., Hederstedt, L., James, P. Quantification of membrane proteins using nonspecific protease digestions. (2009) *Journal of Proteome Research*, 8 (12), pp. 5666-5673.
- Cenni, V., Bertacchini, J., Beretti, F., Lattanzi, G., Bavelloni, A., Riccio, M., Ruzzene, M., Marin, O., **Arrigoni, G.**, Parnaik, V., Wehnert, M., Maraldi, N.M., De Pol, A., Cocco, L., Marmiroli, S. Lamin A Ser404 Is a nuclear target of akt phosphorylation in C2C12 cells. (2008) *Journal of Proteome Research*, 7 (11), pp. 4727-4735.
- Iori, E., Millionsi, R., Puricelli, L., **Arrigoni, G.**, Lenzini, L., Trevisan, R., James, P., Rossi, G.P., Pinna, L.A., Tessari, P. Glycolytic enzyme expression and pyruvate kinase activity in cultured fibroblasts from type 1 diabetic patients with and without nephropathy. (2008) *Biochimica et Biophysica Acta - Molecular Basis of Disease*, 1782 (11), pp. 627-633.

- De Iuliis, A., **Arrigoni, G.**, Andersson, L., Zambenedetti, P., Burlina, A., James, P., Arslan, P., Vianello, F. Oxidative metabolism of dopamine: A colour reaction from human midbrain analysed by mass spectrometry. (2008) *Biochimica et Biophysica Acta - Proteins and Proteomics*, 1784 (11), pp. 1687-1693.
- Pagano, M.A., **Arrigoni, G.**, Marin, O., Sarno, S., Meggio, F., Treharne, K.J., Mehta, A., Pinna, L.A. Modulation of protein kinase CK2 activity by fragments of CFTR encompassing F508 may reflect functional links with cystic fibrosis pathogenesis. (2008) *Biochemistry*, 47 (30), pp. 7925-7936.
- Wahlander, A., **Arrigoni, G.**, Snel, M., Hellman, U., James, P. Parallel post-source decay for increasing protein identification confidence levels from 2-D gels. (2008) *Proteomics*, 8 (9), pp. 1771-1779.
- **Arrigoni, G.**, Pagano, M.A., Sarno, S., Cesaro, L., James, P., Pinna, L.A. Mass spectrometry analysis of a protein kinase CK2 β subunit interactome isolated from mouse brain by affinity chromatography. (2008) *Journal of Proteome Research*, 7 (3), pp. 990-1000.
- Tessari, P., Puricelli, L., Iori, E., **Arrigoni, G.**, Vedovato, M., James, P., Coracina, A., Millionini, R. Altered chaperone and protein turnover regulators expression in cultured skin fibroblasts from type 1 diabetes mellitus with nephropathy. (2007) *Journal of Proteome Research*, 6 (3), pp. 976-986.
- Wåhlander, Å., **Arrigoni, G.**, Wårell, K., Levander, F., Palmgren, R., Maloisel, J.-L., Busson, P., James, P. Development of reagents for differential protein quantitation by subtractive parent (precursor) ion scanning. (2007) *Journal of Proteome Research*, 6 (3), pp. 1101-1113.
- Puricelli, L., Iori, E., Millionini, R., **Arrigoni, G.**, James, P., Vedovato, M., Tessari, P. Proteome analysis of cultured fibroblasts from type 1 diabetic patients and normal subjects. (2006) *Journal of Clinical Endocrinology and Metabolism*, 91 (9), pp. 3507-3514.
- **Arrigoni, G.**, Fernandez, C., Holm, C., Scigelova, M., James, P. Comparison of MS/MS methods for protein identification from 2D-PAGE. (2006) *Journal of Proteome Research*, 5 (9), pp. 2294-2300.
- Berggård, T., **Arrigoni, G.**, Olsson, O., Fex, M., Linse, S., James, P. 140 Mouse brain proteins identified by Ca²⁺-calmodulin affinity chromatography and tandem mass spectrometry. (2006) *Journal of Proteome Research*, 5 (3), pp. 669-687.
- **Arrigoni, G.**, Resjö, S., Levander, F., Nilsson, R., Degerman, E., Quadroni, M., Pinna, L.A., James, P. Chemical derivatization of phosphoserine and phosphothreonine containing peptides to increase sensitivity for MALDI-based analysis and for selectivity of MS/MS analysis. (2006) *Proteomics*, 6 (3), pp. 757-766.
- Tibaldi, E., **Arrigoni, G.**, Brunati, A.M., James, P., Pinna, L.A. Analysis of a sub-proteome which co-purifies with and is phosphorylated by the Golgi casein kinase. (2006) *Cellular and Molecular Life Sciences*, 63 (3), pp. 378-389.

- Di Maira, G., Salvi, M., **Arrigoni, G.**, Marin, O., Sarno, S., Brustolon, F., Pinna, L.A., Ruzzene, M. Protein kinase CK2 phosphorylates and upregulates Akt/PKB. (2005) *Cell Death and Differentiation*, 12 (6), pp. 668-677.
- **Arrigoni, G.**, Marin, O., Pagano, M.A., Settimo, L., Paolin, B., Meggio, F., Pinna, L.A. Phosphorylation of calmodulin fragments by protein kinase CK2. Mechanistic aspects and structural consequences. (2004) *Biochemistry*, 43 (40), pp. 12788-12798.
- Lopreiato, R., Facchin, S., Sartori, G., **Arrigoni, G.**, Casonato, S., Ruzzene, M., Pinna, L.A., Carignani, G. Analysis of the interaction between piD261/Bud32, an evolutionary conserved protein kinase of *Saccharomyces cerevisiae*, and the Grx4 glutaredoxin. (2004) *Biochemical Journal*, 377 (2), pp. 395-405.
- D'Agostino, D.M., Ranzato, L., **Arrigoni, G.**, Cavallari, I., Belleudi, F., Torrisi, M.R., Silic-Benussi, M., Ferro, T., Petronilli, V., Marin, O., Chieco-Bianchi, L., Bernardi, P., Ciminale, V. Mitochondrial alterations induced by the p13 II protein of human T-cell leukemia virus type 1: Critical role of arginine residues. (2002) *Journal of Biological Chemistry*, 277 (37), pp. 34424-34433.
- Facchin, S., Lopreiato, R., Stocchetto, S., **Arrigoni, G.**, Cesaro, L., Marin, O., Carignani, G., Pinna, L.A. Structure-function analysis of yeast piD261/Bud32, an atypical protein kinase essential for normal cell life. (2002) *Biochemical Journal*, 364 (2), pp. 457-463.